



NOMAPACK®

PRODUCT OVERVIEW
2016

THE RIGHT
SHAPE
FOR EVERY
SITUATION

we will succeed together





NOMAPACK®

Covering all the bases

Countless products travel the world and conquer the globe. Some are in-expensive mass-produced articles and others are beautiful crafted handiwork, but all are born out of deft workmanship, a willingness to take risks and **innovative** strength. That's why these products deserve to be safe and secure in their packaging and arrive at their destination in a dignified manner.

When it comes to packaging, the requirements depend entirely on the nature of the contents being packaged. Whether for the automotive industry, the construction sector, the domestic market, or for high-end consumer goods, the main point of packaging is usually to **protect** the goods from scratches, breakage and damage caused by impact. Innovative, lightweight packaging materials create space in all means of transport – by road, sea and air. This in turn saves energy, time and money. It's clear that an aesthetic wrapper and good visual merchandising can effectively sway the decision to buy a product.

NOMAPACK® profiles provide packaging, embellishment and protection for everything – with no exception. Our standard products are already sufficient to cover the majority of current packaging requirements. But if your product is really unusual and exceptional, we will factor in the specific shape and properties of the material and **customise** the packaging for an exact fit. Our specialists will explore the specific problem – together with our experts – and come up with a packaging solution perfectly tailored to your requirements. And we have the resources and innovative finishing processes – quite apart from our experience and enthusiasm – to meet particular challenges and to create the seemingly impossible from foam. Putting it plainly, NOMAPACK® will see your quality product safely through to the end customer.

Made-to-measure packaging

NOMAPACK® covers a comprehensive standard range of packaging profiles. But frequently, only a custom-made product will do the job sufficiently well. We'll be delighted to develop **tailor-made packaging** in partnership with your specialists – no matter how unconventional in shape or nature.


Customer-specific products require **leading-edge technology**: thanks to process-controlled systems, we can respond flexibly and at short notice to global market trends and needs. Numerous production techniques such as extrusion, form moulding, hot-melt, profiling and cutting processes etc. facilitate foam production that is entirely solution focused.

Yet it isn't only specific and individual problem solutions that are a strength of NMC; our all-embracing **service** is equally prized. The backbone to this are our 15 networked logistics centres and subsidiaries that carry comprehensive ranges of stock items, thereby guaranteeing rapid delivery across Europe.

NOMAPACK[®]

PRODUCT PROPERTIES

Diversity in shape



Various side lengths



Pieces, fixed-lengths
and rolled goods



OUR TECHNOLOGIES




Adhesives

The application of adhesives to profiles is just one of the finishing processes which we use to enhance products to meet customer requirements. We apply protective foams to coated surfaces which leaves no residue after use. We also use permanent adhesive on request. Numerous patents attest to the quality of our products.




Special serrations

If required, we can produce customised profiles with special serrations, such as NOMAPACK® U Stretch and NOMAPACK® Multishape. A clever cutting technique makes the material very flexible and workable – ideal for your production or transportation needs. Indeed, objects of various sizes can be packaged with just one single profile.



Density

Foamed materials are just as diverse as packaging contents. Packaging profiles may need to be especially light, extra hard, ultra-soft or particularly pliable, but NMC has the necessary know-how when it comes to open-cell and closed-cell foams. The relative density, for example, might range from 18 to 600 kg/m³. Given this range, we most definitely have the technology to turn your ideas into reality.



Coextrusion

Coextrusion is a means whereby a product can be made in one process step with two machines running in parallel, hence the possibility of combining two foams with different properties. Foams and other materials, such as foils and films, can also be coextruded with coloured coatings. The possibilities are virtually limitless.



Additives

Additives and copolymers affect levels of compressive deformation; tear strength, per cent elongation at failure, UV-resistance, fire behaviour, surface hardness, visual appearance and other technological characteristics of a product. Our range also features more than 15 standard colours for non-crosslinked and crosslinked foams. Other colours can be supplied on request.

CONTENT

NOMAPACK®	
Covering all the bases.....	3
Made-to-measure packaging.....	3
PRODUCT PROPERTIES	4
Diversity in shape.....	4
Various side lengths.....	4
Pieces, fixed-lengths and rolled goods.....	4
Adhesives.....	5
Special serrations.....	5
Density.....	5
Coextrusion.....	5
Additives.....	5
NOMAPACK® U	8
NOMAPACK® U Tulip.....	9
NOMAPACK® U Tulip Stretch.....	10
NOMAPACK® U Multishape.....	10
NOMAPACK® U Tulip Corner.....	11
NOMAPACK® U Tulip Stretch Corner.....	11
NOMAPACK® U Tulip Long Legs	12
NOMAPACK® U Tulip 45-70	12
NOMAPACK® U Classic.....	13
NOMAPACK® U 0-3.....	13
NOMAPACK® U 0-6.....	14
NOMAPACK® U 6-12.....	14
NOMAPACK® U 8-12.....	15
NOMAPACK® U 12-18.....	15
NOMAPACK® U Extra Padding.....	16
NOMAPACK® U HD	16
NOMAPACK® U FEP.....	17
NOMAPACK® WS	18
NOMAPACK® WS 33x26 BC / CBC.....	19
NOMAPACK® WS 33x26 CYC.....	19
NOMAPACK® WS 33x26 Edge Pad YC.....	20

NOMAPACK® WS 33x26 Edge Pad CYC.....	20
NOMAPACK® WS Corner.....	21
NOMAPACK® WS 35x26.....	21
NOMAPACK® WS 45x26.....	22
NOMAPACK® WS 40x30.....	22
NOMAPACK® WS 60x30.....	23
NOMAPACK® L.....	24
NOMAPACK® L.....	25
NOMAPACK® L HMR adhesive.....	25
NOMAPACK® Pad.....	26
NOMAPACK® Glass Pad.....	28
NOMAPACK® O.....	30
NOMAPACK® O 5 mm unslit.....	31
NOMAPACK® O 9 mm slit.....	31
NOMAPACK® O 9 mm preslit.....	32
NOMAPACK® O 13 mm preslit.....	32
NOMAPACK® O 20 mm preslit.....	33
NOMAPACK® O 25 mm preslit.....	33
NOMAPACK® O Round.....	34
NOMAPACK® O Round Cut Corner.....	35
NOMAPACK® System.....	36
NOMAPACK® System.....	37
NOMAPACK® System HD.....	37
NOMAPACK® Tuff Pad.....	38
NOMAPACK® C.....	40
NOMAPACK® C 25x10-10.....	41
NOMAPACK® C Rectangular.....	41
NOMAPACK® C BTH.....	42

NOMAPACK® U



NOMAPACK® U are effective edge protection profiles for each type of corner or curve. They are available in different dimensions and densities in order to protect your products efficiently. We can also develop profiles according to customer's specifications.

- Edge protection from 2 to 160 mm
- Easy fitting « Multishape » version
- Patented design


Product features:

- PE-LD foam
- Density from 25 kg/m³ to 65 kg/m³
- Supplied as lengths or coils
- Water absorption < 1 – vol.% after 40 days
- Recyclable
- The tolerance of the length of the coils is up to a maximum of 2%

Applications:

- Tables and worktops
- Shelves, storage units and other furniture parts
- Mirrors, glass plates, ceramic
- Works of art, framed pictures, etc.

NOMAPACK® U Tulip




COLOUR	Standard blue
LENGTH	2.000 mm \pm 30 mm
PACKAGING	Lengths in boxes or on coils
BOXES ON PALLET	4
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Protected design ■ The « original », recognized and reliable profile

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
5-15	16 \pm 2	7 \pm 1	3 \pm 3	29 \pm 2	560	3002243
15-25	24 \pm 2	8 \pm 1	10 \pm 3	35 \pm 3	320	3002250
25-35	35 \pm 2	10 \pm 1	20 \pm 4	40 \pm 3	240	3002257
35-45	41 \pm 2	12 \pm 2	25 \pm 5	46 \pm 3	180	3002261
45-60	57 \pm 2	14 \pm 2	30 \pm 5	60 \pm 2	100	3002267
60-80	71 \pm 2	15 \pm 2	45 \pm 5	66 \pm 2	80	3002279
80-100	92 \pm 3	18 \pm 2	60 \pm 10	68 \pm 3	72	3002288
100-120	120 \pm 4	21 \pm 2	98 \pm 10	80 \pm 3	44	3002289



$\text{m}^3 / \text{box} = 0,50$
 $\text{box} 2040 * 590 * 390 \text{ mm}$





$\text{m}^3 / \text{Coil} = 0,70$
 $\text{Coil } 1200 * 460 \text{ mm}$

5-15	16 \pm 2	7 \pm 1	3 \pm 3	29 \pm 2	500*	3002241
15-25	24 \pm 2	8 \pm 1	10 \pm 3	35 \pm 3	220**	3002248

NOMAPACK® U

NOMAPACK® U Tulip Stretch



COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Protected design ■ The « original », recognized and reliable profile ■ With a patented system to reach a width of 160 mm




m³ /  = 0,50


 2040 * 590 * 390mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
100-120	120-160	21 ±2	100-140	80 ±3	44	3002290

NOMAPACK® U Multishape



COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ High flexibility due to the V-cut ■ Adaptable to all type of radius and angles ■ Supplied as endless coil for pieces cut to your own requirements



m³/Coil  = 0,70


Coil  1200 * 460mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
5-15 MS*	16 ±2	7 ±1	3 ±3	29 ±2	480	3002242
15-25 MS	24 ±2	8 ±1	10 ±3	35 ±3	250	3002249
25-35 MS	35 ±2	10 ±1	20 ±4	40 ±3	150	3002255
35-45 MS	41 ±2	12 ±2	25 ±5	46 ±3	140	3002260

* E = 150 ±10 mm for U 5-15

E = 170 ±10 mm for the other U Multishape profiles

NOMAPACK® U Tulip Corner



COLOUR	Standard blue
PACKAGING	Pieces in boxes
BOXES ON PALLET	8 to NOMAPACK® U Tulip Corner 35-45 3 from NOMAPACK® U Tulip Corner 45-60
FEATURES	<ul style="list-style-type: none"> ■ Corners optimally protected ■ Easy to fix ■ Available in various cushioning thicknesses




$m^3 / \text{box} = 0,27$
 $\text{box} 785 * 585 * 585 \text{ mm}$

$m^3 / \text{box} = 0,66$
 $\text{box} 1190 * 790 * 700 \text{ mm}$

Type	A	B	C	E = F	Packaging unit	Item Code
	mm	mm	mm	mm	pcs	
5-15	16 ±2	7 ±1	3 ±3	100 ±10	900	3002163
15-25	24 ±2	8 ±1	10 ±3	100 ±10	600	3002166
25-35	35 ±2	10 ±1	20 ±4	100 ±10	450	3002168
35-45	41 ±2	12 ±2	25 ±5	100 ±10	300	3002170
45-60	57 ±2	14 ±2	30 ±5	100 ±10	500	3002173
60-80	71 ±2	15 ±2	45 ±5	100 ±10	400	3002175
80-100	92 ±3	18 ±2	60 ±10	100 ±10	280	3002178

NOMAPACK® U Tulip Stretch Corner



COLOUR	Standard blue
PACKAGING	Pieces in boxes
BOXES ON PALLET	3
FEATURES	<ul style="list-style-type: none"> ■ Corners optimally protected ■ Easy to fix ■ With a patented system to reach a width of 160 mm




$m^3 / \text{box} = 0,66$
 $\text{box} 1190 * 790 * 700 \text{ mm}$

Type	A	B	C	E = F	Packaging unit	Item Code
	mm	mm	mm	mm	pcs	
100-120 Stretch	120-160	21 ±2	100-140	200 ±10	120	3002179



NOMAPACK® U

NOMAPACK® U Tulip Long Legs




COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ With longer legs to protect sharp-ended edges




m³ /  =0,50
 2040 * 590 * 390mm



Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
0-30/70	29 ±2	14 ±1	0	94 ±6	100	3002262
30-40/70	38 ±2	14 ±1	26 ±10	84 ±5	100	3002266

NOMAPACK® U Tulip 45-70




COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ With longer legs to protect sharp-ended edges



m³ /  =0,50
 2040 * 590 * 390mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
45-70	70 ±2	18 ±2	30 ±10	131 ±5	44	3002278

NOMAPACK® U Classic



COLOUR	Standard blue
LENGTH	2.000 mm \pm 30 mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ The "classic" profile




$\text{m}^3 / \text{box} = 0,50$
 $\text{box} = 2040 * 590 * 390 \text{ mm}$


Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
10-20	17 \pm 2	10,5 \pm 1	5 \pm 3	\pm 30	420	3002246
20-35	31 \pm 2	12 \pm 1	12 \pm 4	\pm 45	210	3002259
30-45	41 \pm 2	15 \pm 1	20 \pm 5	\pm 48	160	3002275
45-65	60 \pm 2	15 \pm 1	30 \pm 8	\pm 57	92	3002277
60-85	80 \pm 3	15 \pm 1	40 \pm 10	\pm 58	90	3002281
30-45/51*	40 \pm 2	15 \pm 1,5	15 \pm 5	51 \pm 2	130	3002276

* Colour: yellow

NOMAPACK® U 0-3



COLOUR	Grey
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Special edge-protection for narrow products from 0 to 3 mm ■ Prevents bends against sharp edges ■ Supplied as endless coil for pieces cut to your own requirements




$\text{m}^3 / \text{Coil} = 0,70$
 Coil $\text{Coil} = 1200 * 460 \text{ mm}$

Type	A	B	D	Packaging unit	Item Code
	mm	mm	mm	m	
0-3	20 \pm 2	11 \pm 1	32 \pm 2	590	3002253

NOMAPACK® U

NOMAPACK® U 0-6




COLOUR	Grey
LENGTH	2.000mm ± 30 mm
PACKAGING	Lengths in boxes or on coils
BOXES ON PALLET	4
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Thanks to high cushioning thickness, this is the ideal protection packaging for narrow, sensitive products ■ Ideal protection for sensitive goods



m³/ = 0,50

2040 * 590 * 390 mm




m³/Coil = 0,70

Coil 1200 * 460 mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
0-6/2m	28,5 ± 1	14,5 ± 1	13 ± 1	37 ± 1	320	3002269


0-6	28,5 ± 1	14,5 ± 1	13 ± 1	37 ± 1	320	3002270
-----	----------	----------	--------	--------	-----	---------

NOMAPACK® U 6-12



COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Protection packaging for products with a thickness from 6 to 12 mm ■ Especially suitable for products with bead or seals ■ Also available with an inside reinforcement in PE ■ Supplied as endless coil for pieces cut to your own requirements

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
6-12	33 ± 2	15 ± 1	12 ± 1	40 ± 2	240	3002271
6-12 E-P*	33 ± 2	15 ± 1	12 ± 1	40 ± 2	240	3002272
6-12 CBC**	33 ± 2	15 ± 1	12 ± 1	40 ± 2	240	3002273



m³/Coil = 0,70

Coil 1200 * 460 mm


* E-P = Edge-Pad = V-Cut and perforations all 160 mm (± 1.500 pieces/coil)

**CBC= with inside reinforcement (coextrusion)

NOMAPACK® U 8-12




COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Small profile with longer legs ■ Ideal packaging for "design" edges ■ Supplied as endless coil for pieces cut to your own requirements



$\text{m}^3/\text{Coil} = 0,70$
 Coil 1200 * 460 mm

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
8-12	11,5 ±1	7 ±1	0 +3	550	3002244

NOMAPACK® U 12-18



COLOUR	Standard blue
LENGTH	2.000 mm ± 30 mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Protection packaging for products with a thickness from 12 to 18 mm ■ Sensitive edges optimally protected




$\text{m}^3/\text{Box} = 0,50$
 Box 2040 * 590 * 390 mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
12-18	45 ±2	20 ±1	21 ±2	56 ±2	140	3002283

NOMAPACK® U

NOMAPACK® U Extra Padding



COLOUR	Standard blue
LENGTH	2.000mm ±30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none">■ Optimal cushioning protection for heavy goods■ Perfect to protect single or stacked goods





m³/ =0,50
 2040 * 590 * 390mm


Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
15-25/80	20 ±1	30 ±2	7 ±5	83 ±3	90	3002294
30-38*	32 ±2	19 ±1,5	20 ±6	60 ±2	140	3002287
30-45/55	41 ±3	25 ±2	22 ±5	73 ±6	80	3002293

* Colour: grey

NOMAPACK® U HD




COLOUR	Standard blue
LENGTH	2.000mm ± 30 mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none">■ Ideal for heavy objects requiring higher density



m³/ =0,50
 2040 * 590 * 390mm



Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
20-30	31 ±3	18 ±1	28 ±3	180	3002282
35-50	45 ±2	18 ±1	24 ±5	140	3002286

NOMAPACK® U FEP




COLOUR	Standard blue
LENGTH	2.000 mm ± 30 mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ Multiple applications thanks to its inside diameter



m³/  =0,50
 2040 * 590 * 390 mm

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
FEP	65 ±5	9 ±1	5 ±5	120	3002245

NOMAPACK® WS



NOMAPACK® WS is an innovative transport protection for windscreens and glass. An inner reinforcement of the profile prevents piercing due to sharp edges and protects the product efficiently. An extensive assortment of tool accessories is available to simplify the handling.

- Patented glass edge protection
- Unique, with inside reinforcement
- Efficient protection against scratches and breaks



Product features:

- PE-LD foam
- Density from 25 kg/m³ to 65 kg/m³
- Supplied as coils
- Water absorption < 1 – vol.% after 40 days
- Recyclable
- The tolerance of the length of the coils is up to a maximum of 2%


Applications:



- Glass edges
- Windscreens
- Heavy and sharp goods

NOMAPACK® WS 33x26 BC / CBC



COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Specially designed for thicknesses from 3 to 6 mm or for windscreens without rubber lips ■ Good grip force by high lip tension ■ Available with or without inside reinforcement ■ Supplied as endless coil for pieces cut to your own requirements




m³/Coil  = 0,70
Coil  1200 * 460 mm


Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
33x26 BC	26 ±1	12 ±1	3	33 ±1	460	3002305
33x26 CBC*	26 ±1	12 ±1	3	33,5 ±1	460	3002306

* CBC = with inside reinforcement (coextrusion)

NOMAPACK® WS 33x26 CYC



COLOUR	Yellow
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Specially designed for thicknesses from 3 to 6 mm or for heavy windscreens without rubber lips ■ Good grip force by high lip tension ■ Supplied as endless coil for pieces cut to your own requirements





m³/Coil  = 0,70
Coil  1200 * 460 mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	m	
33x26 CYC*	26 ±1	13 ±1	2,5	33±1	460	3002301


* CYC = with inside reinforcement (coextrusion)



NOMAPACK® WS

NOMAPACK® WS 33x26 Edge Pad YC



COLOUR	Yellow
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Safe protection for glass, mirrors and sensitive metal goods ■ Efficiently protects fragile goods during transport ■ Supplied as endless coil for pieces cut to your own requirements





m³/Coil  = 0,70
Coil  1200 * 460mm


Type	A	B	D	F	Packaging unit	Item Code
	mm	mm	mm	mm	m	
33x26 E-P*	25 ±1	11 +1	33 ±1	160 ±7	460	3002300

* E-P = Edge-Pad = V-Cut and perforations all 160 mm (± 2.875 pieces/coil)

NOMAPACK® WS 33x26 Edge Pad CYC



COLOUR	Yellow
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Effective protection for glass, mirrors and sensitive metal goods ■ Pre-cut with patented inner reinforcement ■ Supplied as endless coil for pieces cut to your own requirements




m³/Coil  = 0,70
Coil  1200 * 460mm

Type	A	B	C	D	G	Packaging unit	Item Code
	mm	mm	mm	mm	mm	m	
33x26 E-P* CYC**	26 ±1	11 ±1	2,5	33 ±1	20 ±0,5	460	3002302

* E-P = Edge-Pad = V-Cut and perforations all 160 mm (± 2.875 pieces/coil)

** CYC = with inside reinforcement (coextrusion)

NOMAPACK® WS Corner 70°



COLOUR	Yellow
PACKAGING	Pieces in boxes
BOXES ON PALLET	8
FEATURES	<ul style="list-style-type: none"> ■ With inside reinforcement ■ Easy to fix ■ Other dimensions available on request





m³/ = 0,50


600*400*700mm

Type	A	B	C	D	Packaging unit	Item Code
	mm	mm	mm	mm	pcs	
50x50	26 ±1	13 ±0.5	2,5	33 ±0.5	2.000	3008936

NOMAPACK® WS 35x26



COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ "Universal" transport protection for windscreens with or without rubber lips ■ Specially developed inner-shape that adapts itself to all types of windscreens ■ Supplied as endless coil for pieces cut to your own requirements



m³/Coil = 0,70


Coil 1200*460mm

Type	A	B	C	D	E	F	Packaging unit	Item Code
	mm	mm	mm	mm	mm	mm	m	
35x26 BC	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002310
35x26 CBC*	26 ±1	12 ±1	3	35 ±2	12 +1	16 +1	350	3002311


*CBC = with inside reinforcement (coextrusion)

NOMAPACK® WS

NOMAPACK® WS 45x26



COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ For windscreens with or without rubber lips ■ Adopts itself perfectly to most windscreens ■ Supplied as endless coil for pieces cut to your own requirements




m³/Coil  = 0,70
Coil  1200 * 460mm


Type	A	B	C	D	E	G	H	Packaging unit	Item Code
	mm	mm	mm	mm	mm	mm	mm	m	
45x26 CBC	26 ±1	10 ±1	3	45 ±2	11 ±1	22 ±1	10 ±1	290	3003842

*CBC = with inside reinforcement (coextrusion)

NOMAPACK® WS 40x30



COLOUR	Dark blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Ideal for windscreens with an inside rubber lip ■ Supplied as endless coil for pieces cut to your own requirements





m³/Coil  = 0,70
Coil  1200 * 460mm


Type	A	B	C	D	E	G	Packaging unit	Item Code
	mm	mm	mm	mm	mm	mm	m	
40x30 CBC*	34 +1/-2	21 ±1	6	42 ±2	18 ±1	8 ±1	270	3002312



*CBC = with inside reinforcement (coextrusion)

NOMAPACK® WS 60x30



COLOUR	Standard blue
PACKAGING	On coils
COILS ON PALLET	4
FEATURES	<ul style="list-style-type: none">■ Ideal for windscreens with a seal in the outside part of the glass pane■ Supplied as endless coil for pieces cut to your own requirements



m³/Coil  = 0,70
Coil  1200 * 460mm

Type	A	B	C	D	E	H	Packaging unit	Item Code
	mm	mm	mm	mm	mm	mm	m	
60x30 CBC*	31 ±2	10 ±1	5,6	61 ±3	16 ±1	13,5 ±1	200	3002314

*CBC = with inside reinforcement (coextrusion)

NOMAPACK® L



NOMAPACK® L profiles are available with or without adhesive. They supply protection for individual pieces or can work as protection of a whole pallet.

- Available in various lengths and thicknesses
- With or without adhesive


Product features:

- PE-LD foam
- Supplied as lengths
- Water absorption < 1 – vol.% after 40 days
- Recyclable

Applications:

- Corners and edges
- Narrow and scratch-sensitive goods
- Can be used in shrinking tunnels

NOMAPACK® L



COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	■ Quick and cost effective protection




m³/  = 0,50

 2040 * 590 * 390mm

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
50x50-6	50 ±2	50 ±2	6 ±1	480	3002207
75x75-10	75 ±3	75 ±3	10 ±1	210	3002210

NOMAPACK® L HMR adhesive



COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Residue-free removable adhesive (white release) ■ Multiple applications ■ Easy to fix



m³/  = 0,50


 2040 * 590 * 390mm

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
50x50-6 HMR	50 ±2	50 ±2	6 ±1	480	3002208
75x75-10 HMR	75 ±3	75 ±3	10 ±1	210	3002211

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® PAD



NOMAPACK® Pad, the little spacer with big effect, is available in different dimensions with permanent or residue-free removable adhesive. This is the ideal packaging spacer to separate or fix sensitive goods. The Pads are packed in preslit units, to allow you to separate the required lengths simply and cleanly.

- Available with permanent or residue-free removable adhesive.


Product features:

- PE-LD foam
- Supplied as pieces
- Water absorption < 1 – vol.% after 40 days
- Recyclable

Applications:

- Cushion
- Spacer
- Fixing

NOMAPACK® Pad



COLOUR	Standard blue
LENGTH	1.150 mm ± 20 mm
PACKAGING	Pieces in boxes
BOXES ON PALLET	3
FEATURES	<ul style="list-style-type: none"> ■ With permanent or removable adhesive ■ Multiple applications ■ Good compression set <p>* first and last piece might be out of tolerance (1 piece = AxBxC)</p>

Type	A	B	C	Packaging unit	Packaging unit	Item Code
	mm	mm	mm	pces	m	
50x10 HMR	50 ±3	10 ±2	50 ±8*	16100	805	3002213
50x20 HMR	50 ±3	20 ±2	50 ±8*	10350	518	3002215
50x50 HMR	50 ±3	50 ±3	50 ±8	4025	201	3002232
65x25 HMR	65 ±3	25 ±2	64 ±8	4950	317	3002219
100x25 HMR	100 ±3	25 ±2	96 ±8	2160	207	3002220
100x50 HMR	100 ±3	50 ±2	96 ±8	1176	113	3011417



m³/  =0,68

 1190*790*700 mm

HMR = removable adhesive (white Release)

Type	A	B	C	Packaging unit	Packaging unit	Item Code
	mm	mm	mm	pces	m	
50x10 HMP	50 ±3	10 ±2	50 ±8*	16100	805	3002214
50x20 HMP	50 ±3	20 ±2	50 ±8*	10350	518	3002216
50x50 HMP	50 ±3	50 ±3	50 ±8	4025	201	3002235
65x25 HMP	65 ±3	25 ±2	64 ±8	4950	317	3002223
100x25 HMP	100 ±3	25 ±2	96 ±8	2160	207	3002224
100x50 HMP	100 ±3	50 ±2	96 ±8	1176	113	3011418



m³/  =0,68

 1190*790*700 mm


HMP = permanent adhesive (transparent Release)

To ensure optimum adhesion, a uniform push down of NMC Pads on a dry and dust free surface is recommended. In addition, the manufacturer recommends a storage and treatment temperature between + 10 ° C and + 40 ° C.

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® GLASS PAD



NOMAPACK® Glass Pads keep the distance between glass plates or panels and avoid undesirable scratches and marks during all kind of transport.

- Glass Pad simply stick with their own suction power and leave no traces or marks


Product features:

- XLPE foam with a self-adhesive foam layer
- Supplied as pieces
- Available in different dimensions and thicknesses

Applications:

- Distance holders to protect high-polished and sensitive surfaces

NOMAPACK® Glass Pad



COLOUR	Grey
PACKAGING	Pieces in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> Keep the distance between glass plates or panels and avoid undesirable scratches and marks during transport.
MATERIAL	XLPE foam with a self-adhesive foam layer



$m^3 / \text{box} = 0,13$
 $\text{box} 600*600*360 \text{ mm}$

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	pcs	
45x45x8+2	45 ±1	8 ±1	45 ±1	2.500	3012433
45x45x10+2	45 ±1	10 ±1	45 ±1	2.500	3012435
45x45x12+2	45 ±1	12 ±1	45 ±1	2.500	3012436

The following NOMAPACK Glass Pads are only available with a minimum order quantity of 50.000 pieces.



$m^3 / \text{box} = 0,05$
 $\text{box} 390*395*310 \text{ mm}$

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	pcs	
20x20x8+2	20 ±1	8 ±1	20 ±1	2.500	3002335



$m^3 / \text{box} = 0,08$
 $\text{box} 610*370*370 \text{ mm}$

20x20x10+2	20 ±1	10 ±1	20 ±1	2.500	3009231
20x20x12+2	20 ±1	12 ±1	20 ±1	2.500	3009232



$m^3 / \text{box} = 0,13$
 $\text{box} 600*600*360 \text{ mm}$

45x25x8+2	25 ±1	8 ±1	45 ±1	2.500	3003720
45x25x10+2	25 ±1	10 ±1	45 ±1	2.500	3002337
45x25x12+2	25 ±1	12 ±1	45 ±1	2.500	3009235

The pads are packed in bulk in cardboard boxes / two pads glued to each other.

Other sizes and colors are available on request with a minimum order quantity and a corresponding delivery period.

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

NOMAPACK® O



NOMAPACK® O profiles offer a complete range of round profiles in various diameters and thicknesses, which suits perfectly to round goods or elongated objects.

- Adaptable to every curve
- Special, total protection for delicate and easily-scratched goods


Product features:

- PE-LD foam
- Density from 20 kg/m³ to 35 kg/m³
- Supplied as lengths
- Water absorption < 1 – vol.% after 40 days
- Recyclable

Applications:

- Pieces of furniture
- Bicycles
- Fitness equipment

NOMAPACK® O 5 mm UNSLIT



COLOUR	Grey
LENGTH	2.000mm ± 30mm
PACKAGING	lengths in boxes
BOXES ON PALLET	8
FEATURES	■ Other dimensions available on request




m³ /  = 0,24

 2040*390*290 mm

Type	A	B	Packaging unit	Item Code
	mm	mm	m	
15-5	16 +3	5 ±1	240	3008220
18-5	19 +3	5 ±1	200	3001035
22-5	23 +3	5 ±1	160	3001036
28-5	29 +3	5 ±1	120	3001037
35-5	36 +3	5 ±1	80	3001038

NOMAPACK® O 9 mm SLIT



COLOUR	Grey
LENGTH	2.000mm ± 30mm
PACKAGING	lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Delivered as slit profiles ■ Can be immediately clipped upon the object to protect




m³ /  = 0,50

 2040*590*390 mm

Type	A	B	Packaging unit	Item Code
	mm	mm	m	
15-9	16 +3	9 ±1,5	380	3002517
18-9	19 +3	9 ±1,5	330	3002321
22-9	23 +3	9 ±1,5	250	3002322
28-9	29 +3	9 ±1,5	190	3002324
35-9	36 +3	9 ±1,5	150	3002516
42-9	42 +4	9 ±1,5	110	3002419

NOMAPACK® O PRESLIT



COLOUR	Grey
LENGTH	2.000 mm \pm 30 mm
PACKAGING	lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Delivered as pre-slit profiles ■ Other dimensions available on request

NOMAPACK® O 9 mm



m³ /  = 0,50

 2040*590*390 mm

Type	A	B	Packaging unit	Item Code
	mm	mm	m	
15-9	16 +3	9 \pm 1,5	380	3001141
18-9	19 +3	9 \pm 1,5	330	3001142
22-9	23 +3	9 \pm 1,5	250	3001143
28-9	29 +3	9 \pm 1,5	190	3001144
35-9	36 +3	9 \pm 1,5	150	3001145
42-9	44 +4	9 \pm 1,5	110	3001146
48-9	50 +4	9 \pm 1,5	90	3008281
54-9	56 +4	9 \pm 1,5	70	3008282
60-9	62 +4	9 \pm 1,5	66	3008283
76-9	78 +4	9 \pm 1,5	48	3001050
89-9	91 +4	9 \pm 1,5	40	3001051

NOMAPACK® O 13 mm



m³ /  = 0,50

 2040*590*390 mm

Type	A	B	Packaging unit	Item Code
	mm	mm	m	
15-13	16 +3	13 \pm 2	256	3001148
18-13	19 +3	13 \pm 2	220	3001149
22-13	23 +3	13 \pm 2	180	3008439
28-13	29 +3	13 \pm 2	140	3001150
35-13	36 +3	13 \pm 2	120	3001151
42-13	44 +4	13 \pm 2	90	3001152
48-13	50 +4	13 \pm 2	70	3001085
54-13	56 +4	13 \pm 2	66	3008291
60-13	62 +4	13 \pm 2	48	3001086
76-13	78 +4	13 \pm 2	40	3001062
89-13	91 +4	13 \pm 2	30	3001063
102-13	105 +5	13 \pm 2	24	3001064
114-13	117 +5	13 \pm 2	22	3001065

NOMAPACK® O 20 mm

Type	A	B	Packaging unit	Item Code
	mm	mm	m	
15-20	16 +3	20 ±2,5	134	3001067
18-20	19 +3	20 ±2,5	126	3001068
22-20	23 +3	20 ±2,5	108	3008294
28-20	29+3	20 ±2,5	96	3008295
35-20	36+3	20 ±2,5	70	3001071
42-20	44 +4	20 ±2,5	60	3001072
48-20	50 +4	20 ±2,5	48	3001073
54-20	56 +4	20 ±2,5	48	3001074
60-20	62 +4	20 ±2,5	40	3001075
76-20	78 +4	20 ±2,5	26	3001076
89-20	91 +4	20 ±2,5	24	3001077
102-20	105+5	20 ±2,5	20	3001078
114-20	117 +5	20 ±2,5	14	3001079



m³ /  = 0,50

 2040*590*390 mm

NOMAPACK® O 25 mm


Type	A	B	Packaging unit	Item Code
	mm	mm	m	
15-25	16 +3	25 ±2,5	90	3008298
18-25	19 +3	25 ±2,5	90	3008299
22-25	23 +3	25 ±2,5	70	3001087
28-25	29 +3	25 ±2,5	66	3008300
35-25	36 +3	25 ±2,5	56	3008301
42-25	44 +4	25 ±2,5	48	3008302
48-25	50 +4	25 ±2,5	40	3008303
60-25	62 +4	25 ±2,5	30	3001084
76-25	78 +4	25 ±2,5	24	3004271
89-25	91 +4	25 ±2,5	16	3008230
114-25	117 +5	25 ±2,5	12	3008231



m³ /  =0,50

 2040*590*390 mm

NOMAPACK® O Round



COLOUR	White
PACKAGING	Lengths in boxes
BOXES ON PALLET	2 for R75 mm & R100 mm 4 for R150 mm
FEATURES	<ul style="list-style-type: none"> ■ Cushioning protection for storage and transport ■ Suitable for filling static and dynamic joints with varying degrees of expansions



m³ /  = 1,10

 2290*780*590 mm

Type	A	Packaging unit	Item Code
	mm	m	
R 75 mm/2,2 m*	75 ±3	171,6	3004076
R 100 mm/2,2 m*	100 ±4	92,4	3004077

*2.200 ± 50 mm



m³ /  = 0,50


 2050*600*400 mm

Type	A	Packaging unit	Item Code
	mm	m	
R 150 mm/1,85 m	153 ±4	14,8	3012186


*1.850 ± 50 mm

NOMAPACK® Round R 150 mm in 2,75 m length (Item Code 3003708) is only available with a minimum order quantity of 5.500 m.

NOMAPACK® O Round Cut Corner



COLOUR	White
PACKAGING	Pieces in boxes
BOXES ON PALLET	4
FEATURES	<div><div></div>Special protection for corners</div> <div><div></div>Cushioning protection for storage and transport</div> <div><div></div>Easy to fix</div>



$\text{m}^3 / \text{box} = 0,44$
1200*800*500 mm

Type	A	B	Packaging unit	Item Code
	mm	mm	pcs	
100-10	100 ±3	10	1.900	3002519
100-15	100 ±3	15	1.500	3002518
100-20	100 ±3	20	1.100	3003593
75-10	75 ±3	10	3.900	3003592
75-15	75 ±3	15	2.750	3002520
75-20	75 ±3	20	2.000	3002160

NOMAPACK® SYSTEM



NOMAPACK® System, the efficient transport protection for sensitive goods. NOMAPACK® System provides an ideal protection against shocks and vibrations thanks to its directly extruded, specially designed L-shape with integrated holes. It can be easily transformed to obtain a packaging frame.

- Outstanding protection against shocks and vibrations
- Tailor-made, adaptable and customer-oriented solutions


Product features:

- PE-LD foam
- Density from 24 kg/m³ to 34 kg/m³
- Supplied as lengths
- Water absorption < 1 – vol.% after 40 days
- Recyclable

Applications:

- High-tech products
- Medical items

NOMAPACK® System



COLOUR	Standard blue
LENGTH	2.030 mm ± 30 mm
PACKAGING	lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ For light goods ■ Specially suitable for sensitive surfaces ■ Easy to transform


Type	A	B	C	D	E	Packaging unit	Item Code
	mm	mm	mm	mm	mm	m	
30mm	30 ±2	65 ±3	65 ±3	30 ±2	93° ±3	140	3002187
40mm	40 ±2	85 ±3	85 ±3	40 ±2	93° ±3	84	3002189
50mm	50 ±2	98 ±3	98 ±3	50 ±2	93° ±3	56	3002193



m³ /  = 0,50

 2040*590*390 mm

NOMAPACK® System HD




COLOUR	Standard blue
LENGTH	2.030 mm ± 30 mm
PACKAGING	lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ For heavy goods ■ Specially suitable for sensitive surfaces ■ Easy to transform

Type	A	B	C	D	E	Packaging unit	Item Code
	mm	mm	mm	mm	mm	m	
20mm	20 ±1	52 ±2	52 ±2	21 ±1	90° ±3	224	3002184
30mm	30 ±1	63 ±2	63 ±2	30 ±1	90° ±3	140	3002186
40mm	40 ±2	80 ±3	80 ±3	40 ±2	93° ±3	84	3002188
50mm	50 ±2	97 ±3	97 ±3	50 ±1	93° ±3	56	3002192
60mm	60 ±2	106 ±3	106 ±3	60 ±2	93° ±3	42	3002194



m³ /  = 0,50

 2040*590*390 mm

NOMATEC® TUFF PAD



NOMATEC® Tuff Pad are coextruded round foams with a reinforced outer skin which offers various applications. Ideal to protect our kids while playing and climbing on playgrounds, trampolines or other game areas. NOMATEC® Tuff Pad are always there to prevent injuries and crushes. They cover the complete metallic structure and provide a long term protection.


Product features:

- PE-LD foam / Outer skin PE-LD
- Supplied as lengths
- Water absorption < 1 – vol.% after 40 days
- Recyclable
- Relatively UV resistant
- Conform with norm EN 71-3
- Pre-slit for easy use
- Other colours available on request
- Washable

Applications:

- Playgrounds, kids playing areas and climbing frames
- Scaffolding
- Transport of animals – bar coating
- Ski areas / ski lifts
- Diverse

NOMATEC® Tuff Pad



LENGTH	2.480mm ± 40mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Outer skin relatively UV resistant ■ Pre-slit profile for easy fixation

Type	Colour	A	B	Packaging unit	Item Code
		mm	mm	m	
52-17	 orange	52 ±1	17 ±1	66,96	3003082
52-17	 yellow	52 ±1	17 ±1	66,96	3003083
52-17	 green	52 ±1	17 ±1	66,96	3003085
52-17	 light brown	52 ±1	17 ±1	66,96	3003988
52-17	 dark brown	52 ±1	17 ±1	66,96	3003990
52-17	 silver	52 ±1	17 ±1	66,96	3003787
52-17	 light green	52 ±1	17 ±1	66,96	3003786
52-17	 ice blue	52 ±1	17 ±1	66,96	3003858
52-17	 pink	52 ±1	17 ±1	66,96	3003788
52-17	 violet	52 ±1	17 ±1	66,96	3003789
52-17	 black	52 ±1	17 ±1	66,96	3003086
52-17	 blue	52 ±1	17 ±1	66,96	3003932
52-17	 red	52 ±1	17 ±1	66,96	3003859



m³/  =0,60

 2540*590*390 mm

NOMAPACK® C



NOMAPACK® C protects corners and edges reliably.

NOMAPACK® C range has been specially designed to protect both ceramics and offers customized solutions for many different applications.


Product features:

- PE-LD foam
- Supplied as lengths
- Water absorption < 1 – vol.% after 40 days
- Recyclable

Applications:

- Bath and sanitary areas
- Distance holder to protect high-polished and sensitive surfaces
- Total protection for long and narrow goods

NOMAPACK® C 25x10-10



COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Total protection for long and narrow goods ■ Flexible in use




m³ /  = 0,50

 2040 * 590 * 390mm

Type	A	B	C	Packaging unit	Item Code
	mm	mm	mm	m	
25x10-10	43 ±1	31 ±1	10 ±1	312	3002197

NOMAPACK® C Rectangular



COLOUR	Standard blue
LENGTH	2.000mm ± 30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none"> ■ Small distance holder with great effect ■ Ideal to separate sensitive surfaces




m³ /  = 0,50

 2040 * 590 * 390mm



Type	A	B	Packaging unit	Item Code
	mm	mm	m	
50x50	50 ±3	50 ±3	154	3002202
100x50	98 ±2	50 ±2	80	3002195

NOMAPACK® C BTH



COLOUR	Standard blue
LENGTH	2.000mm ±30mm
PACKAGING	Lengths in boxes
BOXES ON PALLET	4
FEATURES	<ul style="list-style-type: none">■ Total protection for fragile edges■ Extreme clamping force■ Easy to fix



m³/  =0,50
 2040 * 590 * 390mm

Type	A	D	E	Packaging unit	Item Code
	mm	mm	mm	m	
BTH	34 ±1	74 ±4	5,5 ±1	120	3002205

NMC s.a. reserves the right to change or modify any of the technical data or size range of its products without prior notice. Slight changes and variations in colour, shape, design, dimension and weight are not seen as contract breach. The technical data contained in this brochure has been obtained under specific test conditions and the correct application of our products is the responsibility of the user. For questions about technical details please contact your sales representatives. Partial impression or reprint is only allowed with our explicit acceptance.



www.nmc.be

NMC sa
Gert-Noël-Strasse - B-4731 Eynatten
☎ +32 87 85 85 00 - 📠 +32 87 85 85 11
info@nmc.eu

